












| Sort | Kvalitet och storlek |
|---|----------------------|
| Acer pensylvanicum | utr. 150-200 co |
| Acer platanoides | utr. 150-200 co |
| Acer platanoides | utr. 200-250 co |
| Acer platanoides FK PERNILLA E & FK ULTUNA E E | utr. 150-200 co |
| Acer platanoides FK PERNILLA E & FK ULTUNA E | utr. 200-250 co |
| Acer saccharinum | utr. 150-200 co |
| Acer saccharinum | utr. 200-250 co |
| Acer saccharinum 'Pyramidale' | utr. 150-200 co |
| Acer saccharinum 'Pyramidale' | utr. 200-250 co |
| Acer tataricum FK FALUN E E | utr. 150-200 co |
| Acer tataricum FK FALUN E | utr. 200-250 co |
| Aesculus hemiacantha | utr. 150-200 co |
| Aesculus hippocastanum | utr. 150-200 co |
| Aesculus hippocastanum | utr. 200-250 co |
| Alnus glutinosa FK FYRIS E E | utr. 150-200 co |
| Alnus glutinosa FK FYRIS E | utr. 200-250 co |
| Alnus incana FK DEJE E E | utr. 150-200 co |
| Alnus incana FK DEJE E | utr. 200-250 co |
| Alnus incana 'Laciniata' | utr. 150-200 co |
| Alnus incana 'Laciniata' | utr. 200-250 co |
| Betula alleghaniensis | utr. 150-200 co |
| Betula alleghaniensis | utr. 200-250 co |
| Betula ermanii | utr. 200-250 co |
| Betula pendula | utr. 150-200 co |
| Betula pendula | utr. 200-250 co |
| Betula pendula 'Dalecarlica' E [®] E | utr. 150-200 co |
| Betula pendula 'Dalecarlica' E [®] | utr. 200-250 co |
| Betula pendula FK JULITA E E | utr. 150-200 co |
| Betula pendula FK JULITA E | utr. 200-250 co |
| Betula pendula 'Purpurea' | utr. 125-150 co |
| Betula pendula 'Purpurea' | utr. 150-200 co |
| Betula pendula 'Purpurea' | utr. 200-250 co |
| Betula pendula 'Splendor White' [*] | utr. 125-150 co |
| Betula pendula 'Splendor White' [*] | utr. 150-200 co |
| Betula pendula 'Splendor White' [*] | utr. 200-250 co |
| Betula pendula 'Tristis' | utr. 125-150 co |
| Betula pendula 'Tristis' | utr. 150-200 co |
| Betula pendula 'Tristis' | utr. 200-250 co |
| Betula pendula 'Youngii' | utr. 150-200 co |
| Betula pendula 'Youngii' | utr. 200-250 co |
| Betula pubescens | utr. 150-200 co |
| Betula pubescens | utr. 200-250 co |
| Betula utilis ssp. jacquem. 'Doorenbos' | utr. 125-150 co |
| Betula utilis ssp. jacquem. 'Doorenbos' | utr. 150-200 co |
| Betula utilis ssp. jacquem. 'Doorenbos' | utr. 200-250 co |
| Carpinus betulus | utr. 60-80 co |
| Carpinus betulus | utr. 80-100 co |

| Sort | Kvalitet och storlek |
|--|----------------------|
| Carpinus betulus | utr. 100-125 co |
| Carpinus betulus | utr. 125-150 co |
| Carpinus betulus | utr. 150-175 co |
| Carpinus betulus | utr. 175-200 co |
| Carpinus betulus | utr. 200-250 kl |
| Carpinus betulus E  | utr. 80-100 co |
| Carpinus betulus E | utr. 100-125 co |
| Carpinus betulus E | utr. 125-150 co |
| Carpinus betulus E | utr. 150-175 co |
| Carpinus betulus E | utr. 175-200 kl |
| Carpinus betulus E | utr. 200-250 kl |
| Carpinus betulus 'Fastigiata' | utr. 125-150 co |
| Carpinus betulus 'Fastigiata' | utr. 150-175 co |
| Carpinus betulus 'Fastigiata' | utr. 175-200 co |
| Carpinus betulus 'Fastigiata' | utr. 200-250 kl |
| Carpinus betulus 'Frans Fontaine' | utr. 125-150 co |
| Carpinus betulus 'Frans Fontaine' | utr. 150-175 co |
| Carpinus betulus 'Frans Fontaine' | utr. 175-200 co |
| Carpinus betulus 'Frans Fontaine' | utr. 200-250 kl |
| Carpinus betulus 'Lucas' | utr. 125-150 kl |
| Carpinus betulus 'Lucas' | utr. 150-175 kl |
| Carpinus betulus 'Lucas' | utr. 175-200 kl |
| Carpinus betulus 'Lucas' | utr. 200-250 kl |
| Castanea sativa | utr. 150-200 co |
| Catalpa bignonioides | utr. 150-200 co |
| Catalpa bignonioides | utr. 200-250 co |
| Cercidiphyllum japonicum FK GÖTEBORG E  | utr. 150-200 co |
| Cercidiphyllum japonicum FK GÖTEBORG E | utr. 200-250 co |
| Corylus columna | utr. 200-250 co |
| Fagus sylvatica | utr. 80-100 co |
| Fagus sylvatica | utr. 100-125 co |
| Fagus sylvatica | utr. 125-150 co |
| Fagus sylvatica | utr. 150-175 co |
| Fagus sylvatica | utr. 175-200 co |
| Fagus sylvatica (Purpurbl.) 'Dawyck Purple' | utr. 125-150 co |
| Fagus sylvatica (Purpurbl.) 'Dawyck Purple' | utr. 150-175 co |
| Fagus sylvatica (Purpurbl.) 'Dawyck Purple' | utr. 175-200 kl |
| Fagus sylvatica (Purpurbl.) 'Dawyck Purple' | utr. 200-250 kl |
| Fagus sylvatica (Purpurbl.) 'Purp. Latifolia' | utr. 125-150 kl |
| Fagus sylvatica (Purpurbl.) 'Purp. Latifolia' | utr. 150-175 kl |
| Fagus sylvatica (Purpurbl.) 'Purp. Latifolia' | utr. 175-200 kl |
| Fagus sylvatica (Purpurbl.) 'Purp. Latifolia' | utr. 200-250 kl |
| Fagus sylvatica (Purpurbl.) 'Purp. Pendula' | utr. 125-150 kl |
| Fagus sylvatica (Purpurbl.) 'Purp. Pendula' | utr. 150-175 kl |
| Fagus sylvatica (Purpurbl.) 'Purp. Pendula' | utr. 175-200 kl |
| Fagus sylvatica (Purpurbl.) 'Purp. Pendula' | utr. 200-250 kl |
| Fagus sylvatica (Purpurbl.) 'Purple Fountain' | utr. 125-150 kl |

| Sort | Kvalitet och storlek |
|--|----------------------|
| Fagus sylvatica (Purpurbl.) 'Purple Fountain' | utr. 150-175 kl |
| Fagus sylvatica (Purpurbl.) 'Purple Fountain' | utr. 175-200 kl |
| Fagus sylvatica (Purpurbl.) 'Purple Fountain' | utr. 200-250 kl |
| Fagus sylvatica 'Atropurpurea Major' | utr. 125-150 kl |
| Fagus sylvatica 'Atropurpurea Major' | utr. 150-175 kl |
| Fagus sylvatica 'Atropurpurea Major' | utr. 175-200 kl |
| Fagus sylvatica 'Atropurpurea Major' | utr. 200-250 kl |
| Fagus sylvatica 'Dawyck' | utr. 125-150 co |
| Fagus sylvatica 'Dawyck' | utr. 150-175 co |
| Fagus sylvatica 'Dawyck' | utr. 175-200 co |
| Fagus sylvatica 'Dawyck' | utr. 200-250 kl |
| Fagus sylvatica 'Dawyck Gold' | utr. 125-150 co |
| Fagus sylvatica 'Dawyck Gold' | utr. 150-175 co |
| Fagus sylvatica 'Dawyck Gold' | utr. 175-200 co |
| Fagus sylvatica 'Dawyck Gold' | utr. 200-250 kl |
| Fagus sylvatica FK GOTTÅSA E  | utr. 200-250 kl |
| Fagus sylvatica FK GOTTÅSA E & FK HALLANDSÅSEN E  | utr. 80-100 co |
| Fagus sylvatica FK GOTTÅSA E & FK HALLANDSÅSEN E | utr. 100-125 co |
| Fagus sylvatica FK GOTTÅSA E & FK HALLANDSÅSEN E | utr. 125-150 co |
| Fagus sylvatica FK GOTTÅSA E & FK HALLANDSÅSEN E | utr. 150-175 co |
| Fagus sylvatica FK GOTTÅSA E & FK HALLANDSÅSEN E | utr. 175-200 kl |
| Fagus sylvatica 'Pendula' | utr. 125-150 co |
| Fagus sylvatica 'Pendula' | utr. 150-175 co |
| Fagus sylvatica 'Pendula' | utr. 175-200 kl |
| Fagus sylvatica 'Pendula' | utr. 200-250 kl |
| Fagus sylvatica Purpurbladiga Gruppen | utr. 80-100 co |
| Fagus sylvatica Purpurbladiga Gruppen | utr. 100-125 co |
| Fagus sylvatica Purpurbladiga Gruppen | utr. 125-150 co |
| Fagus sylvatica Purpurbladiga Gruppen | utr. 150-175 kl |
| Fagus sylvatica Purpurbladiga Gruppen | utr. 175-200 kl |
| Fagus sylvatica Purpurbladiga Gruppen | utr. 200-250 kl |
| Juglans cinerea FK ÖREBRO E  | utr. 150-200 co |
| Juglans mandshurica | utr. 125-150 co |
| Juglans mandshurica | utr. 150-200 co |
| Juglans regia | utr. 150-200 co |
| Juglans regia | utr. 200-250 co |
| Liriodendron tulipifera | utr. 125-150 co |
| Morus nigra Mulle E  | utr. 150-200 co |
| Morus nigra Mulle E | utr. 200-250 co |
| Populus alba 'Nivea' | utr. 150-200 co |
| Populus alba 'Nivea' | utr. 200-250 co |
| Populus balsamifera | utr. 150-200 co |
| Populus balsamifera | utr. 200-250 co |
| Populus balsamifera 'Elongata' | utr. 150-200 co |
| Populus balsamifera 'Elongata' | utr. 200-250 co |
| Populus canadensis 'Robusta' | utr. 150-200 co |
| Populus canadensis 'Robusta' | utr. 200-250 co |

| Sort | Kvalitet och storlek |
|--|----------------------|
| Populus canadensis 'Robusta' | utr. 250-300 co |
| Populus nigra 'Italica' | utr. 150-200 co |
| Populus nigra 'Italica' | utr. 200-250 co |
| Populus nigra 'Italica' | utr. 250-300 co |
| Populus simonii | utr. 150-200 co |
| Populus simonii | utr. 200-250 co |
| Populus simonii 'Fastigiata' | utr. 150-200 co |
| Populus simonii 'Fastigiata' | utr. 200-250 co |
| Populus tremula 'Erecta' | utr. 125-150 co |
| Populus tremula 'Erecta' | utr. 150-200 co |
| Populus tremula 'Erecta' | utr. 200-250 co |
| Populus tremula 'Erecta' | utr. 250-300 co |
| Populus trichocarpa | utr. 150-200 co |
| Populus trichocarpa | utr. 200-250 co |
| Populus trichocarpa | utr. 250-300 co |
| Populus trichocarpa 'Kiruna' E  | utr. 150-200 co |
| Populus trichocarpa 'Kiruna' E | utr. 200-250 co |
| Prunus avium E  | utr. 150-200 co |
| Prunus avium E | utr. 200-250 co |
| Prunus maackii | utr. 150-200 co |
| Prunus maackii | utr. 200-250 co |
| Prunus maackii 'Amber Beauty' | utr. 150-200 co |
| Prunus maackii 'Amber Beauty' | utr. 200-250 co |
| Prunus maackii 'Honey' E  | utr. 150-200 co |
| Prunus maackii 'Honey' E | utr. 200-250 co |
| Prunus padus FK ULTUNA E  | utr. 125-150 co |
| Prunus padus FK ULTUNA E | utr. 150-200 co |
| Prunus padus FK ULTUNA E | utr. 200-250 co |
| Pterocarya fraxinifolia FK UPPSALA E  | utr. 125-150 co |
| Pterocarya fraxinifolia FK UPPSALA E | utr. 150-200 co |
| Pterocarya fraxinifolia FK UPPSALA E | utr. 200-250 co |
| Pterocarya rhoifolia FK MEJLAN | utr. 125-150 co |
| Pterocarya rhoifolia FK MEJLAN | utr. 150-200 co |
| Pterocarya rhoifolia FK MEJLAN | utr. 200-250 co |
| Quercus cerris FK ALNARP E  | utr. 80-100 co |
| Quercus cerris FK ALNARP E | utr. 100-125 co |
| Quercus cerris FK ALNARP E | utr. 125-150 co |
| Quercus cerris FK ALNARP E | utr. 150-200 co |
| Quercus cerris FK ALNARP E | utr. 200-250 kl |
| Quercus palustris | utr. 150-200 kl |
| Quercus palustris | utr. 200-250 kl |
| Quercus robur | utr. 125-150 co |
| Quercus robur | utr. 150-200 co |
| Quercus robur | utr. 200-250 kl |
| Quercus robur (Fastigiata) 'Koster' | utr. 150-175 co |
| Quercus robur (Fastigiata) 'Koster' | utr. 175-200 co |
| Quercus robur FK LINKÖPING E & FK ULTUNA E  | utr. 60-80 co |

| Sort | Kvalitet och storlek |
|---|----------------------|
| Quercus robur FK LINKÖPING E & FK ULTUNA E E | utr. 80-100 co |
| Quercus robur FK LINKÖPING E & FK ULTUNA E | utr. 100-125 co |
| Quercus robur FK LINKÖPING E & FK ULTUNA E | utr. 125-150 co |
| Quercus robur FK LINKÖPING E & FK ULTUNA E | utr. 150-200 co |
| Quercus robur FK LINKÖPING E & FK ULTUNA E | utr. 200-250 kl |
| Quercus rubra | utr. 150-200 co |
| Quercus rubra | utr. 200-250 co |
| Quercus rubra E E | utr. 125-150 co |
| Quercus rubra E | utr. 150-200 co |
| Quercus rubra E | utr. 200-250 co |
| Robinia pseudoacacia | utr. 150-200 co |
| Robinia pseudoacacia | utr. 200-250 co |
| Salix alba s. BODEN SILVER® E 'Ep Salbosi' E | utr. 150-200 co |
| Salix alba s. BODEN SILVER® E 'Ep Salbosi' | utr. 200-250 co |
| Salix x fragilis f. vit. 'Vinterglöd' E E | utr. 150-200 co |
| Salix x fragilis f. vit. 'Vinterglöd' E | utr. 200-250 co |
| Sorbus (Commixta) 'Birgitta' E E | utr. 150-200 co |
| Sorbus (Commixta) 'Birgitta' E | utr. 200-250 co |
| Sorbus aria 'Gigantea' E E | utr. 150-200 co |
| Sorbus aria 'Gigantea' E | utr. 200-250 co |
| Sorbus 'Astrid' E E | utr. 150-200 co |
| Sorbus 'Astrid' E | utr. 200-250 co |
| Sorbus aucuparia 'Fastigiata' | utr. 100-125 co |
| Sorbus aucuparia 'Fastigiata' | utr. 125-150 co |
| Sorbus aucuparia FK VÄSTERÅKER E E | utr. 150-200 co |
| Sorbus aucuparia FK VÄSTERÅKER E | utr. 200-250 co |
| Sorbus austriaca FK GOTTSUNDA E E | utr. 150-200 co |
| Sorbus austriaca FK GOTTSUNDA E | utr. 200-250 co |
| Sorbus decora | utr. 150-200 co |
| Sorbus decora | utr. 200-250 co |
| Sorbus incana E E | utr. 150-200 co |
| Sorbus incana E | utr. 200-250 co |
| Sorbus intermedia E E | utr. 125-150 co |
| Sorbus intermedia E | utr. 150-200 co |
| Sorbus intermedia E | utr. 200-250 co |
| Sorbus 'Rosmari' E E | utr. 150-200 co |
| Sorbus 'Rosmari' E | utr. 200-250 co |
| Sorbus ulleungensis 'Dodong' E E | utr. 125-150 co |
| Sorbus ulleungensis 'Dodong' E | utr. 150-200 co |
| Sorbus ulleungensis 'Dodong' E | utr. 200-250 co |
| Sorbus ulleungensis LEGEND E ('Erik*') E | utr. 150-200 co |
| Sorbus ulleungensis LEGEND E ('Erik*') | utr. 200-250 co |
| Sorbus x thuringiaca 'Fastigiata' E E | utr. 150-200 co |
| Sorbus x thuringiaca 'Fastigiata' E | utr. 200-250 co |
| Tilia cordata | utr. 150-200 co |
| Tilia cordata | utr. 200-250 co |
| Tilia cordata 'Greenspire' | utr. 150-200 co |

| Sort | Kvalitet och storlek |
|---|----------------------|
| Tilia cordata 'Greenspire' | utr. 200-250 co |
| Tilia cordata LINN® E ('Elin'*)  | utr. 150-200 co |
| Tilia cordata LINN® E ('Elin'*) | utr. 200-250 co |
| Tilia platyphyllos | utr. 150-200 co |
| Tilia platyphyllos | utr. 200-250 co |
| Tilia x europaea 'Euchlora' | utr. 150-200 co |
| Tilia x europaea 'Euchlora' | utr. 200-250 co |
| Tilia x europaea KRISTINA® E 'Eleonora'* | utr. 150-200 co |
| Tilia x europaea KRISTINA® E 'Eleonora'* | utr. 200-250 co |
| Tilia x europaea 'Pallida' | utr. 150-200 co |
| Tilia x europaea 'Pallida' | utr. 200-250 co |
| Tilia x europaea 'Övedskloster' E  | utr. 150-200 co |
| Tilia x europaea 'Övedskloster' E | utr. 200-250 co |